



PAN ASIA CHEMICAL CORPORATION

Tel:+886-2-2351-1212 Fax:+886-2-2396-2946

http://www.pacc.com.tw E-mail:paccsale@pacc.com.tw

OCTYL PHENOL POLYETHYLENE GLYCOL ETHER

Trade Name	Hydrophobic	EO mole	water% (max)	PH value (1% aq)	Color(30°C) APHA (max)	Form in 25°C	C.P °C 1% aq	HLB	OHV mg KOH/g	Applications 產品應用範圍
PANNOX 8601B	Octyl Phenol	1.3	0.1	6.0~8.1 (0% in 50ml PA aq)	100	L		4.3	208~218	農藥乳化劑 emulsifier for pesticide
PANNOX 8604	Octyl Phenol	4.0	0.5	5.5~7.5	60	L		9.2	142~152	乳化劑 emulsifier
PANNOX 8605	Octyl Phenol	5.0	0.5	5.0~7.0	60	L		10.3	126~136	
PANNOX 8606	Octyl Phenol	6.0	0.5	5.0~7.0	60	L		11.2	115~125	乳化劑 emulsifier
PANNOX 8607	Octyl Phenol	7.0	0.5	6.0~8.0	60	L	28~32	12.3		染色助劑 auxiliary agent for dyeing
PANNOX 8608	Octyl Phenol	8.0	0.5	5.5~7.5	60	L	37~41	12.6	96~104	
PANNOX 8609	Octyl Phenol	9.4	0.5	5.0~7.0	60	L	66~70	13.2	86.5~94.5	洗淨劑 detergent
PANNOX 8609B	Octyl Phenol	9.2	0.5	5.0~7.0	60	L	62~66	13.2	88~96	潤濕劑 wetting agent
PANNOX 8610	Octyl Phenol	10.0	0.5	5.0~7.0	60	L	72~76	13.6	84~90	乳化劑 emulsifier
PANNOX 8612	Octyl Phenol	12.0	0.5	5.0~7.0	60	L	85~90			
PANNOX 8614	Octyl Phenol	14.0	0.5	5.0~7.0	60	L	93~96			
PANNOX 8620	Octyl Phenol	20.0	0.5	5.0~7.0	60(40°C)	S		16.2	48.5~54.5	分散劑 dispersant
PANNOX 8630	Octyl Phenol	30.0	0.5	5.0~7.0	60(50°C)	S	@68~74	17.3	33.5~39.5	乳化聚合乳化劑 emulsifier for polymerization
PANNOX 8640	Octyl Phenol	40.0	0.5	5.0~7.0	60(60°C)	S/F		17.9	26.5~30.5	墨克力乳化聚合乳化劑 emulsifier for acrylic polymerization
PANNOX 8640A	Octyl Phenol	40.0	30	5.0~7.0	60	L		17.9		

@: 5%K₂SO₄ aq O: 50%BC aq #: 25%BC aq * 10g in 60g(IPA aq) L= liquid S= solid S/F = solid & flake